

**Important:** Throughout the spring and summer seasons our we do quote submissions on a first come first serve basis and work hard to do them right the first time. We believe in honoring our commitment to each customer that requests a quotation, therefore we can not consider demands for immediate quotations. We will generally be able turn quotations in about 24-36 hours. During peak season we will require up to 3 days to do a quotation.

### Basic Information

Step 1.

**Name:**

**City of Installation:**

**State:**

**Contact Tel. #**

*(We do not call unless your email address is entered incorrectly)*

**Email Address:**

*(We have never sold or exchanged your email addresses or other information with any other company!)*

### Load Requirement Information

Step 2.

Your city building department is where building permits are issued from. You may or may not need an actual permit for your installation, and this is left as the sole responsibility of the homeowner. ***It is our strong recommendation that you acquire your permit prior to purchase.*** However, panel thickness, beam placements, beam size, distance between posts out front... all are a function of the load (**snow & wind**) that your cover will be subject to. Even though you may not require a permit, you will still need to contact them to get your local building code requirements so that we can supply you with the 'correct' materials!

**Snow Load (lbs./sq.ft.):**


**Wind Load (mph):**

**Will you be getting a permit?** YES

NO


### Our Terminology

Step 3.



1. Screen Wall Height 2. Roof Projection 3. Roof Width 4. Roof Overhang 5. Wall Width  
6. Wall Projection 7. Kickplate (18" or 24") 8. Optional Screen Door 9. Choice of Screening

Footprint of the Screen Walls



### Wall Dimensions & Details

**LHS Projection:**  ft.  in.

Total distance away from house wall

\*I need only one projection wall    **Left**     **Right**

**Width:**  ft.  in.

Total distance parallel to house wall

**RHS Projection:**  ft.  in.

Total distance away from house wall

**Height at House:**  ft.  in.

From deck to the underside of where you are attaching your new roof

**NOTE:** Your front wall height calculated by height at the house minus 1/4" per foot of projection

Step 4.


**Are the screen walls to be installed inside existing handrails?**    **YES**     **NO**

**Kickplate?**    **18" Kickplate**     **24" Kickplate**     **No Kickplate**

\*If the 'no kickplate' option is chosen, you will receive a 2" x 2" horizontal chair rail; to be installed at any height desired.

**Frame Color?**    **Clay**

**Bronze**     **White**



### Doors

Do you want to supply your own door(s)?    **YES**     **NO**  (Either way please be sure to indicate door placement (s) in the drawing on page 4)

### Screening

Standard fiberglass screening     60% Solar screening

I want to supply my own screening     Pet screening

Other screening ...

[https://www.homeporchandpatiokits.com/screening\\_selection.htm](https://www.homeporchandpatiokits.com/screening_selection.htm)



request@homeporchandpatiokits.com



1.705.259.2264

Step 5.


### Connection Details

Attached to fascia board

If Attached to a fascia board, how big is your soffit | distance from wall to fascia board

ft.  in.

Attached to House wall or Ledger Board



Customer is responsible for the purchase of the hardware (screws / lag bolts) necessary to secure the C channel to the existing surface.

\*Note that your C channel has a built-in pitch. Your final post height will be calculated using a pitch of 1/4" per foot of projection.

### Roof Dimensions & Details

Step 6.

Your roof should be at least 6" larger, on all three sides, than the screen wall footprint.

**Projection:**  ft.  in.

Total distance away from wall including overhang

**Width:**  ft.  in.

Total distance parallel to house wall

**Height at House:**  ft.  in.

From deck to the underside of roof installation point

#### Option:

You can have a 2" x 3" T5 Alloy fan beam installed in one (or more) roof panels to hang a ceiling fan or run lighting wires.

**Desired Front Overhang:**  ft.  in.

Amount of awning past the front beam & post assembly.  
Max is 3' or 25% of awning span - whichever is less.

**Fan Beam Installation**

**How Many?**



request@homeporchandpatiokits.com



1.705.259.2264

### Roof Dimensions & Details

Step 6. (cont'd)

Roof Panel Color Selection

**White**       **Wheat**   
**Sand**       **Eggshell**



Side Fascia & Front Gutter Color Selection

**Clay**       **White**   
**Bronze**       *6" thick roof comes with white aluminum drip edge fascia only*

### Extrusion Colors



Beam Color Selection

**White**       **Bronze**       **Eggshell**

Post Color Selection


**White**       **Bronze**       **Eggshell**

### House Wall Bumpouts

If you have a chimney to work your roof installation around please provide the following dimensions...

Step 7.

Distance **A**  **ft.**  **in.**  
 Distance **B**  **ft.**  **in.**  
 Distance **C**  **ft.**  **in.**  
 Distance **D**  **ft.**  **in.**  
 Distance **E**  **ft.**  **in.**




### Door Placements

Step 8.

Check the box that indicates whether your measurement is away from the house wall or measured from a corner.

Then enter the distance away from the wall or corner you want your door placement to begin.



Step 9.

Notes... Anything else you want us to know about your project?

### Do Your Own Drawing

You have two ways in which you can use it.

- If you **open the PDF** in Acrobat Reader, it will allow you to fill out the PDF directly using your mouse and keyboard. You can fill it out, left click, click on "save as" (name the document) and [save the document to your desktop](#). Then email us with the saved PDF document as an attachment.
- Alternatively you can **open the PDF**, print the PDF and fill it out manually. If you wanted to do your own drawing you will need to do this anyways. You can then scan your pages or take a picture of each page and then email us the attachment (s).



request@homeporchandpatiokits.com



1.705.259.2264